# INDEX TO VOLUME 77

## AUTHORS


Acharya, L.:
(see Hickey, M. B. C.)
Adolf, S. L.:
(see Bruns Stockrahm, D. M.)
Akins, D. R.:
(see Planz, J. V.)
Albuja V., L., and B. D. Patterson:
A new species of northern shrew-opossum (Paucituberculata: Caenolestidae) from the Cordillera del Cóndor, Ecuador, 41
Alkon, P. U.:
(see Kohlmann, S. G.)
Allendorf, F. W.:
(see Luikart, G.)
Anderson, C. G.:
(see Thorington, R. W., Jr.)
Anderson, S. H.:
(see Smith, B. L.)
Anyonge, W.:
Microwear on canines and killing behavior in large carnivores: saber function in Smilodon fatalis, 1059
Baker, R. J., M. J. Hamilton, R. A. Van Den Bussche, L. E. Wiggins, D. W. Sugg, M. H. Smith, M. D. Lomakin, S. P. Gaschak, E. G. Bundova, G. A. Rudenskaya, and R. K. Chesser:
Small mammals from the most radioactive sites near the Chornobyl Nuclear Power Plant, 155
Ballachey, B.:
(see Cronin, M. A.)
Barclay, R. M. R., M. C. Kalcounis, L. H. Crampton, C. Stefan, M. J. Vonhof, L. Wilkinson, and R. M. Brigham:
Can external radiotransmitters be used to assess body temperature and torpor in bats?, 1102
Barrett, G. W.:
(see Peles, J. D.)
Barrette, C.:
(see Paré, P.)
Barry, L. M.:
(see Barry, R. E.)
Barry, R. E., and L. M. Barry:
Species composition and age structure of remains of hyraxes (Hyracoidea: Procaviidae) at nests of black eagles, 702
Batzli, G. O.:
(see Haken, A. E.)
(see Harper, S. J.)
Baumgardner, G. D.:
(see Best, T. L.)
Bazhan, N. M., E. N. Makarova, and T. V. Yakovleva:
Deprivation of food during pregnancy and reproduction in the water vole (Arvicola terrestris), 1078
Belk, M. C., and M. H. Smith:
Pelage coloration in oldfield mice (Peromyscus polionotus): antipredator adaptation?, 882
Bergeron, J-M.:
(see Berteaux, D.)
Berteaux, D., F. Masseboeuf, J-M. Bonzom, J-M. Bergeron, D. W. Thomas, and H. Lapierre:
Effect of carrying a radiocollar on expenditure of energy by meadow voles, 359
Best, T. L.:
(see Gay, S. W.)
Best, T. L., R. K. Chesser, D. A. McCullough, and G. D. Baumgardner:
Genic and morphometric variation in kangaroo rats, genus Dipodomys, from coastal California, 785
Bickham, J. W., J. C. Patton, and T. R. Loughlin:
High variability for control-region sequences in a marine mammal: implications for conservation and biogeography of Steller sea lions (Eumetopias jubatus), 95
Blanco, A.:
(see Theiler, G. R.)
Bleich, V. C.:
(see Main, M. B.)
Bodkin, J.:
(see Cronin, M. A.)
Boggs, J. F.:
(see McMurry, S. T.)
Bonzom, J-M.:
(see Berteaux, D.)
Boyd, I. L.:
Individual variation in the duration of pregnancy and birth date in Antarctic fur seals: the role of environment, age, and sex of fetus, 124
Branch, L. C., M. Pessino, and D. Villarreal:
Response of pumas to a population decline of the plains vizcacha, 1132
Braun, J. K.:
(see Mares, M. A.)
Braun, J. K., and M. A. Mares:
Unusual morphological and behavioral traits in Abrocoma (Rodentia: Abrocomidae) from Argentina, 891
Brennan, L. A.:
(see Zollner, P. A.)
Brigham, R. M.:
(see Barclay, R. M. R.)
Brown, J. H.:
(see Smith, F. A.)
Bruns Stockrahm, D. M., B. J. Dickerson, S. L. Adolf, and R. W. Seabloom:
Aging black-tailed prairie dogs by weight of eye lenses, 874
Bundova, E. G.:
(see Baker, R. J.)
Buskirk, S. W.:
(see Harlow, H. J.)
Buskirk, S. W., Y. Ma, L. Xu, and Z. Jiang:
Diets of, and prey selection by, sables (Martes zibellina) in northern China, 725
Cameron, G. N.:
(see Eshelman, B. D.)
Cameron, G. N., and B. D. Eshelman:
Growth and reproduction of hispid cotton rats (Sigmodon hispidus) in response to naturally occurring levels of dietary protein, 220

# INDEX TO VOLUME 77

## AUTHORS


Acharya, L.:
(see Hickey, M. B. C.)
Adolf, S. L.:
(see Bruns Stockrahm, D. M.)
Akins, D. R.:
(see Planz, J. V.)
Albuja V., L., and B. D. Patterson:
A new species of northern shrew-opossum (Paucituberculata: Caenolestidae) from the Cordillera del Cóndor, Ecuador, 41
Alkon, P. U.:
(see Kohlmann, S. G.)
Allendorf, F. W.:
(see Luikart, G.)
Anderson, C. G.:
(see Thorington, R. W., Jr.)
Anderson, S. H.:
(see Smith, B. L.)
Anyonge, W.:
Microwear on canines and killing behavior in large carnivores: saber function in Smilodon fatalis, 1059
Baker, R. J., M. J. Hamilton, R. A. Van Den Bussche, L. E. Wiggins, D. W. Sugg, M. H. Smith, M. D. Lomakin, S. P. Gaschak, E. G. Bundova, G. A. Rudenskaya, and R. K. Chesser:
Small mammals from the most radioactive sites near the Chornobyl Nuclear Power Plant, 155
Ballachey, B.:
(see Cronin, M. A.)
Barclay, R. M. R., M. C. Kalcounis, L. H. Crampton, C. Stefan, M. J. Vonhof, L. Wilkinson, and R. M. Brigham:
Can external radiotransmitters be used to assess body temperature and torpor in bats?, 1102
Barrett, G. W.:
(see Peles, J. D.)
Barrette, C.:
(see Paré, P.)
Barry, L. M.:
(see Barry, R. E.)
Barry, R. E., and L. M. Barry:
Species composition and age structure of remains of hyraxes (Hyracoidea: Procaviidae) at nests of black eagles, 702
Batzli, G. O.:
(see Haken, A. E.)
(see Harper, S. J.)
Baumgardner, G. D.:
(see Best, T. L.)
Bazhan, N. M., E. N. Makarova, and T. V. Yakovleva:
Deprivation of food during pregnancy and reproduction in the water vole (Arvicola terrestris), 1078
Belk, M. C., and M. H. Smith:
Pelage coloration in oldfield mice (Peromyscus polionotus): antipredator adaptation?, 882
Bergeron, J-M.:
(see Berteaux, D.)
Berteaux, D., F. Masseboeuf, J-M. Bonzom, J-M. Bergeron, D. W. Thomas, and H. Lapierre:
Effect of carrying a radiocollar on expenditure of energy by meadow voles, 359
Best, T. L.:
(see Gay, S. W.)
Best, T. L., R. K. Chesser, D. A. McCullough, and G. D. Baumgardner:
Genic and morphometric variation in kangaroo rats, genus Dipodomys, from coastal California, 785
Bickham, J. W., J. C. Patton, and T. R. Loughlin:
High variability for control-region sequences in a marine mammal: implications for conservation and biogeography of Steller sea lions (Eumetopias jubatus), 95
Blanco, A.:
(see Theiler, G. R.)
Bleich, V. C.:
(see Main, M. B.)
Bodkin, J.:
(see Cronin, M. A.)
Boggs, J. F.:
(see McMurry, S. T.)
Bonzom, J-M.:
(see Berteaux, D.)
Boyd, I. L.:
Individual variation in the duration of pregnancy and birth date in Antarctic fur seals: the role of environment, age, and sex of fetus, 124
Branch, L. C., M. Pessino, and D. Villarreal:
Response of pumas to a population decline of the plains vizcacha, 1132
Braun, J. K.:
(see Mares, M. A.)
Braun, J. K., and M. A. Mares:
Unusual morphological and behavioral traits in Abrocoma (Rodentia: Abrocomidae) from Argentina, 891
Brennan, L. A.:
(see Zollner, P. A.)
Brigham, R. M.:
(see Barclay, R. M. R.)
Brown, J. H.:
(see Smith, F. A.)
Bruns Stockrahm, D. M., B. J. Dickerson, S. L. Adolf, and R. W. Seabloom:
Aging black-tailed prairie dogs by weight of eye lenses, 874
Bundova, E. G.:
(see Baker, R. J.)
Buskirk, S. W.:
(see Harlow, H. J.)
Buskirk, S. W., Y. Ma, L. Xu, and Z. Jiang:
Diets of, and prey selection by, sables (Martes zibellina) in northern China, 725
Cameron, G. N.:
(see Eshelman, B. D.)
Cameron, G. N., and B. D. Eshelman:
Growth and reproduction of hispid cotton rats (Sigmodon hispidus) in response to naturally occurring levels of dietary protein, 220

Campbell, K. L., and R. A. MacArthur:
Digestibility of animal tissue by muskrats, 755
Campbell, L. A., J. G. Hallett, and M. A. O'Connell:
Conservation of bats in managed forests: use of roosts by Lasionycteris noctivagans, 976
Carranza-Castañeda, O.:
(see Miller, W. E.)
Chesser, R. K.:
(see Baker, R. J.)
(see Best, T. L.)
Conroy, G. C.:
(see Rasmussen, D. T.)
Cramer, M. S.:
(see Robb, J. R.)
Crampton, L. H.:
(see Barclay, R. M. R.)
Cronin, M. A., J. Bodkin, B. Ballachey, J. Estes, and J. C. Patton:
Mitochondrial-DNA variation among subspecies and populations of sea otters (Enhydra lutris), 546
Crooks, K. R., and D. Van Vuren:
Spatial organization of the island fox (Urocyon littoralis) on Santa Cruz Island, California, 801
Crowell, K. L.:
(see Rich, S. M.)
Czaplewski, N. J.:
Opossums (Didelphidae) and bats (Noctilionidae and Molossidae) from the late Miocene of the Amazon Basin, 84
Darrow, K.:
(see Thorington, R. W., Jr.)
Davis, S. K.:
(see Engel, S. R.)
De Le Court, C.:
(see Le Boulengé, E.)
Demarais, S.:
(see Odend'hal, S.)
Demastes, J. W., M. S. Hafner, and D. J. Hafner:
Phylogeographic variation in two Central American pocket gophers (Orthogeomys), 917
Derting, T. L.:
Changes in gastrointestinal characteristics of an omnivorous species, the raccoon, with lactation and season, 440
Dickerson, B. J.:
(see Bruns Stockrahm, D. M.)
Dieter, G. P.:
(see Nestler, J. R.)
Doonan, T. J.:
(see Woodman, N.)
Duffield, D. A.:
(see Urian, K. W.)
Dunning, D. C., and M. Krüger:
Predation upon moths by free-foraging Hipposideros caffer, 708
Engel, S. R., R. A. Linn, J. F. Taylor, and S. K. Davis:
Conservation of microsatellite loci across species of artiodactyls: implications for population studies, 504
Engle, D. M.:
(see McMurry, S. T.)
Erskine, M. S.:
(see Fortier, G. M.)
Eshelman, B. D.:
(see Cameron, G. N.)
Eshelman, B. D., and G. N. Cameron:
Experimentally induced habitat shifts by hispid cotton rats (Sigmodon hispidus): response to protein supplementation, 232
Estes, J.:
(see Cronin, M. A.)
Faivre, R.:
(see Pépin, D.)
Ferron, J.:
How do woodchucks (Marmota monax) cope with harsh winter conditions?, 412
Fortier, G. M., M. S. Erskine, and R. H. Tamarin:
Hormonal correlates of receptivity in female meadow voles, Microtus pennsylvanicus, 404
Forys, E. A., and S. R. Humphrey:
Home range and movements of the Lower Keys marsh rabbit in a highly fragmented habitat, 1042
Fritzell, E. K.:
(see Gehrt, S. D.)
Gaschak, S. P.:
(see Baker, R. J.)
Gay, S. W., and T. L. Best:
Age-related variation in skulls of the puma (Puma concolor), 191
Gehrt, S. D., and E. K. Fritzell:
Second estrus and late litters in raccoons, 388
Gellman, S. T., and W. J. Zielinski:
Use by bats of old-growth redwood hollows on the north coast of California, 255
Genoways, H. H.:
(see Pumo, D. E.)
Gentile, L.:
(see Musiani, M.)
German, R. Z.:
(see Maunz, M.)
Gese, E. M., T. E. Stotts, and S. Grothe:
Interactions between coyotes and red foxes in Yellowstone National Park, Wyoming, 377
Gjertz, I.:
(see Kovacs, K. M.)
Gonzales, P. C., and R. S. Kennedy:
A new species of Crateromys (Rodentia: Muridae) from Pany, Philippines, 25
Grothe, S.:
(see Gese, E. M.)
Hadj-Chikh, L. Z.:
(see Steele, M. A.)
Hafner, D. J.:
(see Demastes, J. W.)
Hafner, D. J., and C. J. Shuster:
Historical biogeography of western peripheral isolates of the least shrew, Cryptotis parva, 536
Hafner, M. S.:
(see Demastes, J. W.)
Haken, A. E., and G. O. Batzli:
Effects of availability of food and interspecific competition on diets of prairie voles (Microtus ochrogaster), 315
Hall-Martin, A. J.:
(see Rasmussen, L. E. L.)

Hallett, J. G.:
(see Campbell, L. A.)
Hamilton, M. J.:
(see Baker, R. J.)
Haque, E.:
(see Jaeger, M. M.)
Harlow, H. J., and S. W. Buskirk:
Amino acids in plasma of fasting fat prairie dogs and lean martens, 407
Harper, S. J., and G. O. Batzli:
Monitoring use of runways by voles with passive integrated transponders, 364
Effects of predators on structure of the burrows of voles, 1114
Hayssen, V., and T. H. Kunz:
Allometry of litter mass in bats: maternal size, wing morphology, and phylogeny, 476
Hazeltine, J.:
(see Steele, M. A.)
Hazler, K. R.:
(see Ostfeld, R. S.)
Hess, D. L.:
(see Rasmussen, L. E. L.)
Hickey, M. B. C., L. Acharya, and S. Pennington:
Resource partitioning by two species of vespertilionid bats (Lasiurus cinereus and Lasiurus borealis) feeding around street lights, 325
Holekamp, K. E.:
(see Nunes, S.)
Horner, B. E., J. M. Taylor, A. V. Linzey, and G. R. Michener:
Women in mammalogy (1940-1994): personal perspectives, 655
Humphrey, S. R.:
(see Forys, E. A.)
Isaac, S. S., and G. Marimuthu:
Postnatal growth and age estimation in the Indian pygmy bat Pipistrellus mimus, 199
Jaeger, M. M., R. K. Pandit, and E. Haque:
Seasonal differences in territorial behavior by golden jackals in Bangladesh: howling versus confrontation, 768
Jiang, Z.:
(see Buskirk, S. W.)
Johansson, A., and O. Liberg:
Functional aspects of marking behavior by male roe deer (Capreolus capreolus), 558
Jones, E. J.:
(see Mitchell, M. S.)
Kalcounis, M. C.:
(see Barclay, R. M. R.)
Kaufman, D. M.:
(see Smith, F. A.)
Kaufman, D. M., D. W. Kaufman, and G. A. Kaufman:
Women in the early years of The American Society of Mammalogists (1919-1949), 642
Kaufman, D. W.:
(see Kaufman, D. M.)
Kaufman, G. A.:
(see Kaufman, D. M.)
Kawamichi, M.:
Ecological factors affecting annual variation in commencement of hibernation in wild chipmunks (Tamias sibiricus), 731
Kelt, D. A.:
Ecology of small mammals across a strong environmental gradient in southern South America, 205
Kennedy, R. S.:
(see Gonzales, P. C.)
Kilpatrick, C. W.:
(see Rich, S. M.)
Kim, I.:
(see Pumo, D. E.)
Klein, W. C.:
(see Van Dyke, F.)
Klokeid, B. G.:
(see Nestler, J. R.)
Kohlmann, S. G., D. M. Müller, and P. U. Alkon:
Antipredator constraints on lactating nubian ibexes, 1122
Koprowski, J. L.:
Natal philopatry, communal nesting, and kinship in fox squirrels and gray squirrels, 1006
Kovacs, K. M.:
(see Schenk, A.)
Kovacs, K. M., C. Lydersen, and I. Gjertz:
Birth-site characteristics and prenatal molting in bearded seals (Erignathus barbatus), 1085
Krebs, C. J.:
Population cycles revisited, 8
Kronfeld, N., and A. Shkolnik:
Adaptation to life in the desert in the brown hare (Lepus capensis), 171
Krüger, M. :
(see Dunning, D. C.)
Kunz, T. H.:
(see Whitaker, J. O., Jr.)
(see Hayssen, V.)
Lacher, T. E., Jr., and M. A. Mares:
Availability of resources and use of space in eastern chipmunks, Tamias striatus, 833
Lancia, R. A.:
(see Mitchell, M. S.)
Languy, M.:
(see Le Boulengé, E.)
Lapierre, H.:
(see Berteaux, D.)
Le Boulengé, E., P. Legendre, C. De Le Court, P. Le Boulengé-Nguyen, and M. Languy:
Microgeographic morphological differentiation in muskrats, 684
Le Boulengé-Nguyen, P.:
(see Le Boulengé, E.)
Lee, P. L.:
(see Lee, T. L., Jr.), 58
Lee, T. E. Jr., B. R. Riddle, and P. L. Lee:
Speciation in the desert pocket mouse (Chaetodipus penicillatus Woodhouse), 58
Legendre, P.:
(see Le Boulengé, E.)
Leslie, D. M., Jr.:
(see Sams, M. G.)
(see McMurry, S. T.)
Liberg, O.:
(see Johansson, A.)
Linn, R. A.:
(see Engel, S. R.)

Linzey, A. V.:
(see Horner, B. E.)
Lochmiller, R. L.:
(see McMurry, S. T.)
(see Sams, M. G.)
(see Slade, N. A.)
Lomakin, M. D.:
(see Baker, R. J.)
Loughlin, T. R.:
(see Bickham, J. W.)
Luikart, G., and F. W. Allendorf:
Mitochondrial-DNA variation and genetic-population structure in Rocky Mountain bighorn sheep (Ovis canadensis canadensis), 109
Lundrigan, B.:
Morphology of horns and fighting behavior in the family Bovidae, 462
Lydersen, C.:
(see Kovacs, K. M.)
Ma, Y.:
(see Buskirk, S. W.)
MacArthur, R. A.:
(see Campbell, K. L.)
Main, M. B., F. W. Weckerly, and V. C. Bleich:
Sexual segregation in ungulates: new directions for research, 449
Makarova, E. N.:
(see Bazhan, N. M.)
Manson, R. H.:
(see Ostfeld, R. S.)
Mares, M. A.:
(see Braun, J. K.)
(see Lacher, T. E., Jr.)
Mares, M. A., and J. K. Braun:
A new species of phyllotine rodent, genus Andalgalomys (Muridae: Sigmodontinae), from Argentina, 928
Marimuthu, G.:
(see Isaac, S. S.)
Masseboeuf, F.:
(see Berteaux, D.)
Maunz, M., and R. Z. German:
Craniofacial heterochrony and sexual dimorphism in the short-tailed opossum (Monodelphis domestica), 992
Mayr, E.:
The modern evolutionary theory, 1
McCullough, D. A.:
(see Best, T. L.)
McMurry, S. T.:
(see Slade, N. A.)
McMurry, S. T., R. L. Lochmiller, J. F. Boggs, D. M. Leslie, Jr., and D. M. Engle:
Demography and condition of populations of white-footed mice (Peromyscus leucopus) in late and early successional habitats, 335
Mein, P.:
(see Rasmussen, D. T.)
Menaut, R.:
(see Pépin, D.)
Michener, G. R.:
(see Horner, B. E.)
Miller, K. V.:
(see Odend'hal, S.)
Miller, M. C.:
(see Ostfeld, R. S.)
Miller, W. E., and O. Carranza-Castañeda:
Agriotherium schneideri from the Hemphillan of central Mexico, 568
Mitchell, M. S., R. A. Lancia, and E. J. Jones:
Use of insecticides to control destructive activity of ants during trapping of small mammals, 1107
Müller, D. M.:
(see Kohlmann, S. G.)
Musante, A. L.:
(see Thorington, R. W., Jr.)
Musiani, M., L. Gentile, M. Valentini, H. U. Roth, and P. Musiani:
White cells in the blood of Apennine brown bears: an ultrastructural study, 761
Musiani, P.:
(see Musiani, M.)
Neefus, C.:
(see Whitaker, J. O., Jr.)
Nestler, J. R., G. P. Dieter, and B. G. Klokeid:
Changes in total body fat during daily torpor in deer mice (Peromyscus maniculatus), 147
Nunes, S., and K. E. Holekamp:
Mass and fat influence the timing of natal dispersal in Belding's ground squirrels, 807
O'Connell, M. A.:
(see Campbell, L. A.)
Odend'hal, S., K. V. Miller, and S. Demarais:
Preputial glands in Artiodactyla, 417
Ostfeld, R. S., M. C. Miller, and K. R. Hazler:
Causes and consequences of tick (Ixodes scapularis) burdens on white-footed mice (Peromyscus leucopus), 266
Ostfeld, R. S., and R. H. Manson:
Long-distance homing in meadow voles, Microtus pennsylvanicus, 870
Pandit, R. K.:
(see Jaeger, M. M.)
Paré, P., C. Barrette, and J. Prescott:
Seasonal reproduction of captive Himalayan tahrs (Hemitragus jemlahicus) in relation to latitude, 826
Parker, A. R.:
(see Robb, J. R.)
Patterson, B. D.:
(see Albuja V., L.)
Patton, J. C.:
(see Bickham, J. W.)
(see Cronin, M. A.)
Payton, M. E.:
(see Sams, M. G.)
Peles, J. D., and G. W. Barrett:
Effects of vegetative cover on the population dynamics of meadow voles, 857
Pennington, S.:
(see Hickey, M. B. C.)
Pépin, D., R. Faivre, and P. Menaut:
Factors affecting the relationship between body mass and age in the izard, 351
Pessino, M.:
(see Branch, L. C.)
Phillips, C. J.:
(see Pumo, D. E.)

Pickford, M.:
(see Rasmussen, D. T.)
Planz, J. V., E. G. Zimmerman, T. A. Spradling, and D. R. Akins:
Molecular phylogeny of the Neotoma floridana species group, 519
Prescott, J.:
(see Paré, P.)
Pumo, D. E., I. Kim, J. Remsen, C. J. Phillips, and H. H. Genoways:
Molecular systematics of the fruit bat, Artibeus jamaicensis: origin of an unusual island population, 491
Qualls, C. W., Jr.:
(see Sams, M. G.)
Ralls, K.:
(see White, P. J.)
Rasmussen, D. T., M. Pickford, P. Mein, B. Senut, and G. C. Conroy:
Earliest known procaviid hyracoid from the late Miocene of Namibia, 745
Rasmussen, L. E. L., A. J. Hall-Martin, and D. L. Hess:
Chemical profiles of male African elephants, Loxodonta africana: physiological and ecological implications, 422
Read, A. J.:
(see Urian, K. W.)
Remsen, J.:
(see Pumo, D. E.)
Rich, S. M., C. W. Kilpatrick, J. L. Shippee, and K. L. Crowell:
Morphological differentiation and identification of Peromyscus leucopus and P. maniculatus in northeastern North America, 985
Riddle, B. R.:
(see Lee, T. L., Jr.)
Robb, J. R., M. S. Cramer, A. R. Parker, and R. P. Urbanek:
Use of tree cavities by fox squirrels and raccoons in Indiana, 1017
Robbins, R. L.:
(see Smith, B. L.)
Roth, H. U.:
(see Musiani, M.)
Rudenskaya, G. A.:
(see Baker, R. J.)
Sams, M. G., R. L. Lochmiller, C. W. Qualls, Jr., D. M. Leslie, Jr., and M. E. Payton:
Physiological correlates of neonatal mortality in an overpopulated herd of white-tailed deer, 179
Schaller, G. B., and E. S. Vrba:
Description of the giant muntjac (Megamuntiacus vuquangensis) in Laos, 675
Schenk, A., and K. M. Kovacs:
Genetic variation in a population of black bears as revealed by DNA fingerprinting, 942
Seabloom, R. W.:
(see Bruns Stockrahm, D. M.)
Senut, B.:
(see Rasmussen, D. T.)
Shell, E. D.:
(see Urian, K. W.)
Shippee, J. L.:
(see Rich, S. M.)
Shkolnik, A.:
(see Kronfeld, N.)
Shuster, C. J.:
(see Hafner, D. J.)
Sikes, R. S.:
Tactics of maternal investment of northern grasshopper mice in response to postnatal restriction of food, 1092
Slade, N. A.:
(see Woodman, N.)
Slade, N. A., S. T. McMurry, and R. L. Lochmiller:
Habitat differences in mass-specific litter sizes of hispid cotton rats, 346
Smith, B. L., R. L. Robbins, and S. H. Anderson:
Adaptive sex ratios: another example?, 818
Smith, F. A., and D. M. Kaufman:
A quantitative analysis of the contributions of female mammalogists from 1919 to 1994, 613
Smith, F. A., and J. H. Brown:
The changing role of women in North American mammalogy, 609
Smith, M. H.:
(see Baker, R. J.)
(see Belk, M. C.)
Smith, W. P.:
(see Zollner, P. A.)
Spradling, T. A.:
(see Planz, J. V.)
Steele, M. A., L. Z. Hadj-Chikh, and J. Hazeltine:
Caching and feeding decisions by Sciurus carolinensis: responses to weevil-infected acorns, 305
Stefan, C.:
(see Barclay, R. M. R.)
Stein, B. R.:
Women in mammalogy: the early years, 629
Stockley, P.:
Synchrony of estrus in common shrews, 383
Stotts, T. E.:
(see Gese, E. M.)
Sugg, D. W.:
(see Baker, R. J.)
Sullivan, R. M.:
Genetics, ecology, and conservation of montane populations of Colorado chipmunks (Tamias quadrivittatus), 951
Sweitzer, R. A.:
Predation or starvation: consequences of foraging decisions by porcupines (Erethizon dorsatum), 1068
Tamarin, R. H.:
(see Fortier, G. M.)
Taylor, J. F.:
(see Engel, S. R.)
Taylor, J. M.:
(see Horner, B. E.)
Theiler, G. R., and A. Blanco:
Patterns of evolution in Graomys griseoflavus (Rodentia: Muridae): II. Reproductive isolation between cytotypes, 776
Thomas, D. W.:
(see Berteaux, D.)
Thorington, R. W., Jr., A. L. Musante, C. G. Anderson, and K. Darrow:

Validity of three genera of flying squirrels: Eoglaucomys, Glaucomys, and Hylopetes, 69
Timm, R. M.:
(see Woodman, N.)
Urbanek, R. P.:
(see Robb, J. R.)
Urian, K. W., D. A. Duffield, A. J. Read, R. S. Wells, and E. D. Shell:
Seasonality of reproduction in bottlenose dolphins, Tursiops truncatus, 394
Valentini, M.:
(see Musiani, M.)
Van Den Bussche, R. A.:
(see Baker, R. J.)
Van Dyke, F., and W. C. Klein:
Response of elk to installation of oil wells, 1028
Van Valkenburgh, B.:
Feeding behavior in free-ranging, large African carnivores, 240
Van Vuren, D.:
(see Crooks, K. R.)
Vanderbilt White, C. A.:
(see White, P. J.)
Villarreal, D.:
(see Branch, L. C.)
Vonhof, M. J.:
(see Barclay, R. M. R.)
Vrba, E. S.:
(see Schaller, G. B.)
Waterman, J. M.:
Reproductive biology of a tropical, non-hibernating ground squirrel, 134
Weckerly, F. W.:
(see Main, M. B.)
Wells, R. S.:
(see Urian, K. W.)
Whitaker, J. O., Jr., C. Neefus, and T. H. Kunz:
Dietary variation in the Mexican free-tailed bat (Tadarida brasiliensis mexicana), 716
White, P. J., C. A. Vanderbilt White, and K. Ralls:
Functional and numerical responses of kit foxes to a short-term decline in mammalian prey, 370
Wiggins, L. E.:
(see Baker, R. J.)
Wilkinson, L.:
(see Barclay, R. M. R.)
Wolff, J. O.:
Population fluctuations of mast-eating rodents are correlated with production of acorns, 850
Woodman, N., R. M. Timm, N. A. Slade, and T. J. Doonan:
Comparison of traps and baits for censusing small mammals in Neotropical lowlands, 274
Xu, L.:
(see Buskirk, S. W.)
Yakovleva, T. V.:
(see Bazhan, N. M.)
Zahler, P.:
Rediscovery of the woolly flying squirrel (Eupetaurus cinereus), 54
Zielinski, W. J.:
(see Gellman, S. T.)
Zimmerman, E. G.:
(see Planz, J. V.)
Zollner, P. A., W. P. Smith, and L. A. Brennan:
Characteristics and adaptive significance of latrines of swamp rabbits (Sylvilagus aquaticus), 1049

## SUBJECTS
(New names in *italic* type)

Abrocoma:
bennetti, 891
boliviensis, 891
budini, 891
cinerea, 891
famatina, 891
schistacea, 891
vaccarum, 891
Abrothrix:
longipilis, 210
sanborni, 213
Acinonyx jubatus, 240, 1060
Activity:
Microtus ochrogaster, 364
Microtus pennsylvanicus, 364
Addax nasomaculatus, 507
Aepyceros melampus, 243, 464
Aethosciurus poensis, 140
Age structure:
Heterohyrax brucei, 702
Procavia capensis, 702
Aging:
Cynomys ludovicianus, 874
Pipistrellus mimus, 199
Puma concolor, 191
Agriotherium:
coffeyi, 573
coffeyorum, 573
gregoryi, 574
schneideri, 568
Ailuropoda, 568
Akodon:
olivaceus, 210
xanthorhinus, 210
Alabama:
Peromyscus polionotus, 882
Alberta:
Eptesicus fuscus, 1102
Ovis canadensis, 110
Alcelaphus buselaphus, 462
Alces alces, 167, 451, 565
Allometry:
Chiroptera, 476
Ammospermophilus, 65
harrisi, 140
leucurus, 140, 759
nelsoni, 140
Andalgalomys:
olrogi, 928
pearsoni, 928

*roigi*, 929
Antarctica:
Arctocephalus gazella, 124
Antilles Islands:
Artibeus jamaicensis, 491
Antilocapra americana, 417, 472
Antilope cervicapra, 417
Antrozous pallidus, 256
Apodemus:
agrarius, 161
flavicollis, 160, 854
sylvaticus, 160, 853
Arctocephalus gazella, 124
Arctodus, 568
Argentina:
Abrocoma vaccarum, 891
Andalgalomys olrogi, 928
Andalgalomys *roigi*, 928
Graomys griseoflavus, 776
Lagostomus maximus, 1132
Puma concolor, 1132
Arizona:
Chaetodipus penicillatus, 60
Arkansas:
Sylvilagus aquaticus, 1049
Artibeus:
cinereus, 492
concolor, 492
gnomus, 492
jamaicensis, 491
lituratus, 492
obscurus, 492
phaeotis, 492
planirostris, 492
Arvicola terrestris, 1078
Astrohippus stockii, 576
Auliscomys micropus, 210
Axis:
axis, 417
porcinus, 417
Bait:
Small mammals (21 spp), 274
Bangladesh:
Canis aureus, 768
Behavior:
Abrocoma vaccarum, 891
Bovidae (21 spp), 462
Canis latrans, 377
Capra ibex, 1122
Capreolus capreolus, 558
Carnivora (4 spp), 240
Crateromys *heaneyi*, 35
Onychomys leucogaster, 1092
Procyon lotor, 388
Sciurus carolinensis, 305, 1006
Sciurus niger, 1006
Sylvilagus aquaticus, 1049
Vulpes vulpes, 377
Belgium:
Ondatra zibethicus, 684
Belize:
Orthogeomys hispidus, 927
Biodiversity:
Small mammals (15 spp), 155
Biogeography:
Artibeus jamaicensis, 491
Caenolestes (4 spp), 41
Chaetodipus eremicus, 58
Chaetodipus penicillatus, 58
Cryptotis parva, 536
Eumetopias jubatus, 95
Orthogeomys cherriei, 917
Orthogeomys underwoodi, 917
Ovis canadensis, 109
Bison bison, 452, 507
Body mass:
Marmota monax, 412
Peromyscus maniculatus, 147
Rupicapra pyrenaica, 351
Sigmodon hispidus, 346
Spermophilus beldingi, 807
Tamias sibiricus, 731
Bolivia:
Andalgalomys pearsoni, 930
Bos, 548
gaurus, 507
grunniens, 507
taurus, 453, 494, 507
Boselaphus tragocamelus, 464
Brachyphylla cavernarum, 494
British Columbia:
Ovis canadensis, 110
Burrows:
Microtus ochrogaster, 1114
Microtus pennsylvanicus, 1114
Caching:
Sciurus carolinensis, 305
Caenolestes:
caniventer, 41
*condorensis*, 42
convelatus, 41
fulginosus, 42
California:
Chiroptera (12 spp), 255
Chaetodipus penicillatus, 60
Dipodomys agilis, 785
Dipodomys elephantinus, 785
Dipodomys venustus, 785
Urocyon littoralis, 801
Vulpes macrotis, 370
Callorhinus ursinus, 129
Canis:
aureus, 512, 768
latrans, 182, 377, 768, 1068
lupus, 167, 564, 763, 768, 1060
mesomelas, 768
Capra:
hircus, 507
ibex, 454, 1122
Capreolus capreolus, 167, 417, 558, 726
Capricornis crispus, 417
Carollia perspicillata, 494
Cephalophus maxwellii, 464, 562
Cervus:
canadensis, 507
elaphus, 378, 383, 452, 462, 507, 562, 818, 829, 1028
eldi, 565
nippon, 417, 452
unicolor, 472
Chelemys macronyx, 210

Chile:
Rodentia (13 spp), 205
China:
Martes zibellina, 725
Chromosomes:
Graomys griseoflavus, 776
Clethrionomys:
gapperi, 725
glareolus, 160, 445, 854
rufocanus, 14, 271, 385, 725
rutilus, 725
Colorado:
Ovis canadensis, 110
Communication:
Canis aureus, 768
Community ecology:
Rodentia (13 spp), 205
Community structure:
Small mammals (21 spp), 274
Competition:
Microtus ochrogaster, 315
Microtus pennsylvanicus, 315
Connochaetes taurinus, 242, 464
Conservation:
Eumetopias jubatus, 95
Lasionycteris noctivagans, 976
Tamias quadrivittatus, 951
Costa Rica:
Orthogeomys cherriei, 917
Orthogeomys underwoodi, 917
Craseonycteris thonglongyai, 477
Crateromys:
australis, 25
*heaneyi*, 26
paulus, 25
schadenbergi, 25
Crocidura, 746
Crocuta crocuta, 240, 1060
Crypsis:
Peromyscus polionotus, 882
Cryptotis parva, 536
Ctenomys coyhaiquensis, 209
Cuon alpinus, 676
Cynomys:
gunnisoni, 140, 807
leucurus, 140, 407
ludovicianus, 140, 874
DNA microsatellites:
Artiodactyla (16 spp), 504
Dama dama, 417, 829
Damaliscus lunatus, 242
Demography:
Peromyscus leucopus, 266, 335
Dendrohyrax, 745
validus, 746
Dens:
Procyon lotor, 1017
Sciurus niger, 1017
Density:
Vulpes macrotis, 370
Dentition:
Carnivora (4 spp), 240
Smilodon fatalis, 1059
Description:
Andalgalomys *roigi*, 929
Caenolestes *condorensis*, 42
Crateromys *heaneyi*, 26
Heterohyrax *auricampensis*, 746
Noctilio *lacrimaelunaris*, 90
Dicrostonyx groenlandicus, 19
Didelphis marsupialis, 276
Diet:
Lagostomus maximus, 1132
Lasiurus borealis, 325
Lasiurus cinereus, 325
Martes zibellina, 725
Microtus ochrogaster, 315
Microtus pennsylvanicus, 315
Procyon lotor, 440
Puma concolor, 1132
Tadarida brasiliensis, 716
Vulpes macrotis, 370
Digestion:
Lepus capensis, 171
Ondatra zibethicus, 755
Procyon lotor, 440
Dinohippus mexicanus, 576
Dipodomys:
agilis, 785
elator, 795
elephantinus, 785
gravipes, 795
heermanni, 786
merriami, 66
nitratoides, 795
simulans, 791
spectabilis, 305
venustus, 785
Dispersal:
Microtus pennsylvanicus, 857, 870
Spermophilus beldingi, 807
Sylvilagus palustris, 1042
Distribution:
Cryptotis parva, 536
Eupetaurus cinereus, 54
Domninoides, 88
Dromiciops, 41
australis, 207
gliroides, 207
Echolocation:
Hipposideros caffer, 708
Ecology:
Tamias quadrivittatus, 951
Ecuador:
Caenolestes (4 spp), 41
Elaphus maximus, 423
Electrophoresis:
Cryptotis parva, 536
Dipodomys agilis, 785
Dipodomys elephantinus, 785
Dipodomys venustus, 785
Eligmodontia morgani, 210
Enchisthenes hartii, 494
Energetics:
Cynomys leucurus, 407
Lepus capensis, 171
Martes americana, 407
Microtus pennsylvanicus, 359
Enhydra lutris, 546

Environmental gradient:
Rodentia (13 spp), 205
Eoglaucomys:
baberi, 71
fimbriatus, 70
Eotragus artensis, 471
Eptesicus fuscus, 256, 332, 709, 722, 1102
Equus burchelli, 242
Erethizon dorsatum, 1068
Erignathus barbatus, 1085
Erinaceus europaeus, 160
Estrus:
Procyon lotor, 388
Sorex araneus, 383
Euderma maculatum, 256
Eumetopias jubatus, 95
Euneomys chinchilloides, 210
Eupetaurus cinereus, 54
Evolution:
Heterohyrax *auricampensis*, 74
Evolutionary theory, 1
Felis silvestris, 761
Florida:
Peromyscus polionotus, 882
Sylvilagus palustris, 1042
Tursiops truncatus, 394
Food habits:
Arvicola terrestris, 1078
Carnivora (4 spp), 240
Lasiurus borealis, 325
Lasiurus cinereus, 325
Lepus capensis, 171
Microtus ochrogaster, 315
Microtus pennsylvanicus, 315
Tadarida brasiliensis, 716
Fossil:
Agriotherium schneideri, 568
Heterohyrax *auricampensis*, 746
Noctilio *lacrimaelunaris*, 90
Small mammals (4 spp), 84
France:
Rupicapra pyrenaica, 351
Funisciurus congicus, 140
Galemys, 88
Gazella:
granti, 464
spekei, 507
thomsoni, 242, 464
Genetics:
Tamias quadrivittatus, 951
Geographic variation:
Enhydra lutris, 546
Ondatra zibethicus, 684
Geomys, 505
Georgia:
Peromyscus polionotus, 882
Geoxus valdivianus, 210
Gigantohyrax, 745
Giraffa camelopardalis, 472
Glaucomys:
sabrinus, 69
volans, 69
Gracilinanus agilis, 88
Graomys:
griseoflavus, 776
pearsoni, 928
Growth:
Pipistrellus mimus, 199
Puma concolor, 191
Sigmodon hispidus, 220
Growth rates:
Monodelphis domestica, 992
Rupicapra pyrenaica, 351
Guanajuato:
Agriotherium schneideri, 568
Habitat:
Sigmodon hispidus, 232, 346
Haplonycteris, 483
Hemitragus:
hylocrius, 828
jemlahicus, 826
Heterohyrax:
*auricampensis*, 746
brucei, 702, 745
Hibernation:
Marmota monax, 412
Tamias sibiricus, 731
Hippocamelus:
antisensis, 830
bisulcus, 452
Hipposideros, 485
caffer, 708
speoris, 202
Hippotragus niger, 464
Histology:
Artiodactyla (10 spp), 417
Home range:
Cervus elaphus, 1028
Sylvilagus palustris, 1042
Tamias striatus, 833
Urocyon littoralis, 801
Homing:
Microtus pennsylvanicus, 870
Homo, 548
Horns:
Bovidae (21 spp), 462
Hyaenarctos, 568
Hybridization:
Graomys griseoflavus, 776
Hydropotes inermis, 417, 472
Hyemoschus aquaticus, 417
Hylopetes:
alboniger, 70
fimbriatus, 54
lepidus, 82
nigripes, 73
phayrei, 70
platyurus, 72
spadiceus, 70
Hyperdidelphys inexpectata, 88
Idaho:
Ovis canadensis, 110
Identification:
Peromyscus leucopus, 985
Peromyscus maniculatus, 985
Illinois:
Microtus ochrogaster, 315, 364, 1114
Microtus pennsylvanicus, 315, 364, 1114

Immunology:
Odocoileus virginianus, 179
Ursus arctos, 761
Indarctos, 568
oregonensis, 573
India:
Pipistrellus mimus, 199
Indiana:
Procyon lotor, 1017
Sciurus niger, 1017
Iomys horsfieldii, 83
Irenomys tarsalis, 210
Isothrix bistriata, 276
Israel:
Capra ibex, 1122
Lepus capensis, 171
Italy:
Ursus arctos, 761
Japan:
Tamias sibiricus, 731
Kansas:
Onychomys leucogaster, 1092
Sciurus carolinensis, 1006
Sciurus niger, 1006
Sigmodon hispidus, 346
Karyotype:
Small mammals (15 spp), 155
Kentucky:
Procyon lotor, 440
Kenya:
Carnivora (4 spp), 240
Kobus:
ellipsiprymnus, 464
kob, 462
Lactation:
Onychomys leucogaster, 1092
Lagidium viscacia, 209
Lagostomus maximus, 1132
Laos:
Megamuntiacus vuquangensis, 675
Lasionycteris noctivagans, 256, 332, 976
Lasiurus:
borealis, 325, 713
cinereus, 262, 325
Lemmus sibiricus, 10
Leontopithecus rosalia, 383
Lepus:
californicus, 175, 896
capensis, 171
europaeus, 167
timidus, 726
Lestoros, 41
Life history:
Rupicapra pyrenaica, 351
Litocranius walleri, 464
Litter mass:
Chiroptera, 476
Litter size:
Sigmodon hispidus, 346
Longevity:
Puma concolor, 191
Lontra canadensis, 548
Loxodonta africana, 422, 453
Lutra lutra, 167
Lycaon pictus, 240, 1060
Lyme disease:
Peromyscus leucopus, 266
Lynx rufus, 182, 191
Machairodus, 576
Macrotus californicus, 709
Manitoba:
Ondatra zibethicus, 755
Marmosa murina, 276
Marmosops:
noctivagans, 276
parvidens, 276
Marmota:
baibacina, 415
bobac, 415
caligata, 415
camtschatica, 415
caudata, 415
flaviventris, 140, 807
marmota, 142, 413
menzbieri, 415
monax, 412, 880
olympus, 415
sibirica, 415
Martes:
americana, 407, 725
martes, 725
melampus, 725
zibellina, 725
Megaderma lyra, 202, 485
Megalohyrax championi, 753
Megamuntiacus vuquangensis, 675
Meroehyrax bateae, 753
Mesomys hispidus, 276
Metachirus nudicaudatus, 276
Mexico:
Cryptotis parva, 536
Micoureus regina, 276
Microcavia australis, 209
Micromys minutus, 160
Microtus, 725
agrestis, 12
arvalis, 160
californicus, 11, 368, 872
ochrogaster, 11, 233, 315, 364, 445, 867, 1114
oeconomus, 19, 160, 445
pennsylvanicus, 11, 315, 359, 364, 404, 857, 870, 1114
rossiaemeridionalis, 160
townsendii, 14, 866
Miocene:
Agriotherium schneideri, 568
Heterohyrax *auricampensis*, 746
Noctilio *lacrimaelunaris*, 90
Small mammals (4 fossil spp), 84
Mirounga angustirostris, 96, 554
Mitochondrial DNA:
Artibeus jamaicensis, 491
Chaetodipus eremicus, 58
Chaetodipus intermedius, 59
Enhydra lutris, 546
Eumetopias jubatus, 95
Megamuntiacus vuquangensis, 675
Neotoma (8 spp), 519
Orthogeomys cherriei, 917

Orthogeomys underwoodi, 917
Ovis canadensis, 109
Molecular genetics:
Ursus americanus, 942
Molossops:
abrasus, 92
greenhalli, 92
Monodelphis domestica, 992
Montana:
Cervus elaphus, 1028
Ovis canadensis, 110
Morphology:
Abrocoma vaccarum, 891
Artiodactyla (10 spp), 417
Bovidae (21 spp), 462
Flying squirrels (15 spp), 69
Megamuntiacus vuquangensis, 675
Morphometrics:
Andalgalomys (3 spp), 928
Dipodomys agilis, 785
Dipodomys elephantinus, 785
Dipodomys venustus, 785
Ondatra zibethicus, 684
Peromyscus leucopus, 985
Peromyscus maniculatus, 985
Mortality:
Odocoileus virginianus, 179
Moschus moschiferus, 417
Moult:
Erignathus barbatus, 1085
Muntiacus:
atherodes, 675
crinifrons, 677
feai, 677
gongshanensis, 677
muntjak, 417, 675
reevesi, 675
Mus, 548
domesticus, 210
musculus, 160, 761
Mustela:
erminea, 726
frenata, 854
nigripes, 874
nivalis, 161, 543
sibirica, 726
vison, 548
Musth:
Loxodonta africana, 422
Myotis, 485
californicus, 256
daubentonii, 332
evotis, 256
lucifugus, 256, 333, 722
thysanodes, 256
volans, 256, 333
yumanensis, 256
Mystacina tuberculata, 485
Namibia:
Heterohyrax *auricampensis*, 746
Xerus inauris, 134
Natalus stramineus, 485
Natural history:
Abrocoma vaccarum, 891
Agriotherium schneideri, 568
Eupetaurus cinereus, 54
Lasionycteris noctivagans, 976
Natural selection, 1
Neacomys:
spinosus, 276
tenuipes, 276
Neomys fodiens, 160
Neoplatymops mattogrossensis, 92
Neotoma:
albigula, 519
cinerea, 519
floridana, 343, 305, 519
lepida, 528, 896
leucodon, 527
magister, 519
mexicana, 519
micropus, 519
palatina, 519
phenax, 519
stephensi, 519
varia, 519
Neotragus:
batesi, 464
moschatus, 507
Nevada:
Erithizon dorsatum, 1068
New Mexico:
Chaetodipus penicillatus, 60
Tamias quadrivittatus, 951
New York:
Microtus pennsylvanicus, 870
Peromyscus leucopus, 266
Noctilio:
albiventris, 86
*lacrimaelunaris*, 90
leporinus, 86
North America:
Neotoma (8 spp), 519
North Dakota:
Cynomys ludovicianus, 874
Northeastern North America:
Peromyscus leucopus, 986
Peromyscus maniculatus, 986
Norway:
Erignathus barbatus, 1085
Nutrition:
Cervus elaphus, 818
Erithizon dorsatum, 1068
Ondatra zibethicus, 755
Onychomys leucogaster, 1092
Sigmodon hispidus, 220, 232
Nyctalus noctula, 263
Nyctinomops:
aurispinosus, 92
femorosaccus, 92
laticaudatus, 92
Odocoileus:
hemionus, 186, 378, 451, 507, 562, 818
virginianus, 118, 179, 271, 417, 445, 452, 507, 558, 829
Oecomys:
bicolor, 276
roberti, 276
superans, 276

Ohio:
Microtus pennsylvanicus, 857
Oklahoma:
Odocoileus virginianus, 179
Peromyscus leucopus, 335
Oligoryzomys longicaudatus, 210
Ondatra zibethicus, 161, 684, 755
Ontario:
Lasiurus borealis, 325
Lasiurus cinereus, 325
Ursus americanus, 942
Onychomys:
arenicola, 65
leucogaster, 65, 1092
torridus, 65
Oreamnos americanus, 464, 818
Oreotragus oreotragus, 464, 703
Orthogeomys:
cherriei, 917
hispidus, 918
matagalpae, 917
underwoodi, 917
Oryctolagus cuniculus, 880
Oryx gazella, 464
Oryzomys:
capito, 276
nitidus, 276
palustris, 233
yunganus, 276
Osteoborus cynoides, 576
Ototylomys phyllotis, 520
Ovibos moschatus, 417, 462, 507
Ovis:
aries, 454, 507, 829
canadensis, 109, 452, 462, 830
dalli, 109, 818
Pacific Ocean:
Enhydra lutris, 546
Eumetopias jubatus, 95
Pakistan:
Eupetaurus cinereus, 54
Panthera leo, 191, 240, 1060
Paraguay:
Andalgalomys pearsoni, 930
Parapliohyrax ngororaensis, 753
Parasites:
Peromyscus leucopus, 266
Paraxerus:
cepapi, 140
pallatus, 140
Parturition:
Erignathus barbatus, 1085
Pennsylvania:
Sciurus carolinensis, 305
Tamias striatus, 833
Peromyscus:
eremicus, 65
leucopus, 266, 335, 506, 850, 872, 985
maniculatus, 147, 343, 850, 872, 985
polionotus, 882
Peru:
Fossil Molossidae, 92
Noctilio *lacrimaelunaris*, 90
Small mammals (21 spp), 274
Small mammals (4 fossil spp), 84
Petaurista:
batuana, 83
elegans, 83
grandis, 83
petaurista, 54
Petinomys:
fuscocapillus, 71
genibarbis, 72
setosus, 72
Petrogale, 896
Philander opossum, 87
Philippines:
Crateromys (4 spp), 25
Phloeomys, 25
Phoca vitulina, 394
Phocoena phocoena, 400
Photoperiod:
Hemitragus jemlahicus, 826
Phyllotis xanthopygus, 210
Phylogeny:
Neotoma (8 spp), 519
Physiology:
Loxodonta africana, 422
Pipistrellus, 485
mimus, 199
Plecotus:
auritus, 332
townsendii, 256
Pleistocene:
Smilodon fatalis, 1059
Pliocene:
Agriotherium schneideri, 568
Smilodon fatalis, 1059
Population cycles:
Small mammals, 8
Population dynamics:
Microtus pennsylvanicus, 857
Peromyscus leucopus, 335, 850
Peromyscus maniculatus, 850
Review, 8
Tamias striatus, 850
Population ecology:
Lepus americanus, 8
Microtus, 8
Tamias striatus, 833
Population genetics:
Artiodactyla (16 spp), 504
Enhydra lutris, 546
Ovis canadensis, 109
Predation:
Capra ibex, 1122
Erithizon dorsatum, 1068
Heterohyrax brucei, 702
Hipposideros caffer, 708
Lagostomus maximus, 1132
Martes zibellina, 725
Microtus ochrogaster, 1114
Microtus pennsylvanicus, 1114
Peromyscus polionotus, 882
Procavia capensis, 702
Puma concolor, 1132
Smilodon fatalis, 1059

Pregnancy:
Arctocephalus gazella, 124
Preputial glands:
Artiodactyla (10 spp), 417
Procavia, 745
capensis, 702, 751
Procyon lotor, 440, 1017
Proechimys:
brevicauda, 276
simonsi, 276
steerei, 276
Prohyrax tertiarius, 751
Proscapanus, 88
Proteles cristatus, 564
Protosciurus, 73
Pseudoryx nghetinhensis, 682
Pteromys volans, 726
Pteropus vampyrus, 477
Puma concolor, 191, 252, 1068, 1132
Quebec:
Marmota monax, 412
Microtus pennsylvanicus, 359
Radiation:
Small mammals (15 spp), 155
Radiotelemetry:
Eptesicus fuscus, 1102
Lasionycteris noctivagans, 976
Microtus pennsylvanicus, 359
Rangifer tarandus, 118, 452, 506, 818, 829
Raphicerus sharpei, 417
Rattus:
norvegicus, 761
rattus, 160
Redunca arundium, 464
Reithrodon auritus, 210
Reithrodontomys fulvescens, 233
Reproduction:
Arctocephalus gazella, 124
Arvicola terrestris, 1078
Hemitragus jemlahicus, 826
Loxodonta africana, 422
Microtus pennsylvanicus, 404
Peromyscus leucopus, 335
Sigmodon hispidus, 220
Sorex araneus, 383
Tursiops truncatus, 394
Xerus inauris, 134
Rhinopoma hardwickei, 485
Rhipidomys, 276
Rhyncholestes, 41
raphanurus, 207
Rhynchotherium, 576
Roosts:
Chiroptera (12 spp), 255
Rousettus, 483
Rupicapra:
pyrenaica, 351
rupicapra, 351, 829
Russia:
Arvicola terrestris, 1078
Saskatchewan:
Eptesicus fuscus, 1102
Sciurus:
aberti, 140
carolinensis, 72, 140, 305, 1006
ignitus, 276
niger, 140, 1006, 1017
vulgaris, 142, 726
Seed predation:
Peromyscus leucopus, 850
Peromyscus maniculatus, 850
Tamias striatus, 850
Sex ratio:
Cervus elaphus, 818
Sexual dimorphism:
Monodelphis domestica, 992
Sexual maturity:
Pipistrellus mimus, 199
Sexual segregation:
Artiodactyla, 449
Sicista betulina, 160
Sigmodon hispidus, 220, 232, 342, 346
Smilodon fatalis, 1059
Social structure:
Artiodactyla, 449
Sonora:
Chaetodipus penicillatus, 60
Sorex:
araneus, 160, 383
caecutiens, 725
South Africa:
Hipposideros caffer, 708
Loxodonta africana, 422
South Carolina:
Peromyscus polionotus, 882
Spatial association:
Urocyon littoralis, 801
Speciation:
Chaetodipus eremicus, 58
Chaetodipus penicillatus, 58
Graomys griseoflavus, 776
Theory, 1
Species richness:
Rodents (13 spp), 205
Spermophilus:
armatus, 140, 731, 807
beecheyi, 140
beldingi, 140, 731, 807
columbianus, 140, 731
franklinii, 731
lateralis, 140, 815
parryii, 19, 140, 731
richardsonii, 140, 731
saturatus, 742
tereticaudus, 807
townsendii, 367
tridecemlineatus, 731
variegatus, 140
Survival rates:
Odocoileus virginianus, 179
Sus scrofa, 167
Sweden:
Capreolus capreolus, 558
Sylvicapra grimmia, 464
Sylvilagus:
aquaticus, 1049
floridanus, 349, 874
palustris, 1042
Synaptomys, 725
Syncerus caffer, 451, 462

Systematics:
Andalgalomys (3 spp), 928
Artibeus jamaicensis, 491
Chaetodipus penicillatus, 58
Dipodomys agilis, 785
Dipodomys elephantinus, 785
Dipodomys venustus, 785
Eoglaucomys, 69
Glaucomys sabrinus, 69
Glaucomys volans, 69
Hylopetes, 69
Megamuntiacus vuquangensis, 675
Neotoma (8 spp), 519
Tamias quadrivittatus, 951
Tadarida:
brasiliensis, 256, 716
pumila, 710
Talpa europaea, 161
Tamias:
amoenus, 740
minimus, 740
quadrimaculatus, 740
quadrivittatus, 951
sibiricus, 729, 731
speciosus, 740
striatus, 740, 833, 850
townsendi, 740
Tamiasciurus hudsonicus, 140
Taurotragus oryx, 462
Taxonomy:
Caenolestes (4 spp), 41
Chaetodipus eremicus, 58
Crateromys (4 spp), 25
Flying squirrels (15 spp), 69
Techniques:
DNA microsatellites in Artiodatyla, 504
Passive integrated transponders, 364
Snap traps versus live traps, 274
Trapping, 1107
Territoriality:
Canis aureus, 768
Capreolus capreolus, 558
Sylvilagus aquaticus, 1049
Tamias striatus, 833
Texas:
Chaetodipus eremicus, 61
Procyon lotor, 388
Sigmodon hispidus, 220, 232
Tadarida brasiliensis, 716
Thermoregulation:
Eptesicus fuscus, 1102
Thylamys, 88
Thyroptera tricolor, 485
Torpor:
Eptesicus fuscus, 1102
Peromyscus maniculatus, 147
Tragelaphus strepsiceros, 464
Tremarctos, 568
Trogopterus xanthipes, 83
Tursiops truncatus, 394
Ukraine:
Small mammals (15 spp), 155
United Kingdom:
Sorex araneus, 383
United States:
Cryptotis parva, 536
Urocyon:
cinereoargenteus, 182, 801, 854
littoralis, 801
Ursus, 568
americanus, 763, 942
arctos, 19, 761
maritimus, 554
Virginia:
Peromyscus leucopus, 850
Peromyscus maniculatus, 850
Tamias striatus, 850
Vulpes:
macrotis, 370
vulpes, 19, 167, 377
Washington:
Lasionycteris noctivagans, 976
Peromyscus maniculatus, 148
Western hemisphere:
Puma concolor, 191
Wing loading:
Chiroptera, 476
Women in Mammalogy, 609, 613, 629, 642, 655
Wyoming:
Canis latrans, 377
Cervus elaphus, 818
Cynomys leucurus, 407
Martes americana, 407
Ovis canadensis, 110
Vulpes vulpes, 377
Wyonycteris, 88
Xenomys nelsoni, 520
Xerus:
erythropus, 140
inauris, 134
princeps, 140
Zalophus californianus, 97, 394
Zimbabwe:
Heterohyrax brucei, 702
Procavia capensis, 702

## Reviews

Birney, E. C., and J. R. Choate (eds.):
Seventy-five years of mammalogy (1919–1994), reviewed by J. S. Findley, 282
Corbett, L.:
The dingo in Australia and Asia, reviewed by I. L. Brisbin Jr., 291
Davies, A. G., and J. F. Oates (eds.):
Colobine monkeys: their ecology, behaviour and evolution, reviewed by C. A. Chapman, 908
Easteal, S., C. Collet, and D. Betty:
The mammalian molecular clock, reviewed by M. V. Ashley, 286

Fitzgerald, J. P., C. A. Meaney, and D. M. Armstrong:
Mammals of Colorado, reviewed by M. A. Bogan and R. B. Finley, Jr, 901
Martin, T.:
Schmelzmikrostruktur in den Inzisiven alt-und neuweltlicher hystricognather Nagetiere, reviewed by J. H. Wahlert, 1141
Medellin, R. A. and G. Ceballos (eds.):
Advances en el estudio de los mamiferos de México., reviewed by J. Salazar-B., 597
Mungall, E. C., and W. J. Sheffield:
Exotics on the range: the Texas example, reviewed by R. M. Sullivan, 288
Short, R. V., and E. Balaban (eds.):
The difference between the sexes, reviewed by R. Thornhill, 594
Wobeser, G. A.:
Investigation and management of disease in wild animals, reviewed by J. F. Cully Jr., 904

OBITUARY

J. Knox Jones, Jr. (1929–1992):
Appreciation by James S. Findley, Clyde Jones, Hugh H. Genoways, and Robert J. Baker, 578
David John Klingener (1937–1995):
Appreciation by Charles A. Woods, 898